
































### Turbo HD CAMERA

1	DS-2CE16D0T-ITF (3.6 mm)		2 MP Fixed Mini Bullet Camera - Smart IR: up to 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 22,630,000
2	DS-2CE16D0T-ITFS (2.8mm)		2 MP Audio Fixed Mini Bullet Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 28,090,000
3	DS-2CE16D0T-ITFS (3.6mm)		2 MP Audio Fixed Mini Bullet Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 27,750,000
4	DS-2CE16D3T-IT3F (2.8mm)		2 MP Ultra Low Light Fixed Bullet Camera - Strong night performance, capturing images in ultra-low light down to 0.005 lux - Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 50 m IR distance - Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 38,540,000
5	DS-2CE17D0T-IT1F		2 MP Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 23,770,000
6	DS-2CE17D0T-IT3F (2.8mm)		2 MP Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 30,510,000
7	DS-2CE10DF0T-F		2 MP ColorVu Fixed Mini Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 55,680,000
8	DS-2CE10DF3T-FS (2.8mm)		2 MP ColorVu Audio Fixed Mini Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, built-in mic - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 43,460,000
9	DS-2CE12DF3T-F (3.6mm)		2 MP ColorVu Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 42,410,000
10	DS-2CE12DF3T-FS (2.8mm)		2 MP ColorVu Audio Fixed Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic	IRR 48,680,000
11	DS-2CE76D0T-ITMF (2.8mm)		2 MP Fixed Turret Camera - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 28,500,000
12	DS-2CE76D0T-LMFS (2.8mm)		2MP Smart Hybrid Light Audio Indoor Fixed Turret Camera - High quality imaging with 2 MP, 1920×1080 resolution - Up to 30 m IR distance for bright night imaging - 2.8 mm, 3.6 mm fixed focal lens - One port for four switchable signals (TVI/AHD/CVI/CVBS - Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, built-in mic - Water and dust resistant (IP67) - Smart-Hybrid light, optimize your security with flexible lighting options	IRR 24,400,000
13	DS-2CE76D0T-ITMFS (2.8mm)		2 MP Audio Fixed Turret Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 29,990,000
14	DS-2CE76D3T-ITPF		2 MP Ultra Low Light Indoor Fixed Turret Camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 30 m IR distance - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 30,200,000
15	DS-2CE76D3T-ITMF (2.8mm)		2 MP Ultra Low Light Fixed Turret Camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 30 m IR distance - Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 38,020,000
16	DS-2CE78D0T-IT3FS		2 MP Audio Fixed Turret Camera - Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	ناموجود
17	DS-2CE56D0T- VFIR3F (2.8-12mm)		2 MP Manual Varifocal Turret Camera - 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging - Water and dust resistant (IP66) One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 55,870,000
18	DS-2CE72DF3T-F (3.6mm)		2 MP ColorVu Fixed Turret Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens - Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 44,040,000







19	DS-2CE70DF3T-PF (3.6mm)		2 MP ColorVu Fixed Turret Camera - High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 37,400,000
20	DS-2CE16H0T-ITPFS (3.6mm)		5 MP Audio Fixed Mini Bullet Camera - 5 MP, 2560 × 1944 resolution Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance - Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67	IRR 37,000,000
21	DS-2CE17H0T-IT3F (3.6mm)		5 MP Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 41,760,000
22	DS-2CE17H0T-IT3FS (2.8mm)		5 MP Audio Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic	IRR 51,620,000
23	DS-2CE76H0T-ITMF (2.8mm)		5 MP Fixed Turret Camera - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 37,150,000
24	DS-2CE78H0T-IT1F (2.4mm)		5 MP Fixed Turret Camera - EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 41,350,000
25	DS-2CE78H0T-IT3FS (3.6mm)		5 MP Audio Fixed Turret Camera - 5 MP, 2560 × 1944 resolution Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance - Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67	ناموجود
26	DS-2CE79H0T-IT3ZF (2.8-12mm)		5 MP Motorized Varifocal Turret Camera - High quality imaging with 5 MP, 2560 × 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens - Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 79,350,000
27	DS-2CE72HFT-F28 (2.8mm)		5 MP ColorVu Fixed Turret Camera - 5 MP full time color turret camera 24/7 full color imaging - 2.8 mm fixed focal lens Warm supplemental light with 20 m range - Clear imaging even against strong back lighting due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	ناموجود


28	DS-2CE72KF0T-FS (2.8mm)		3K ColorVu Audio Fixed Turret Camera - High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture - 2.8 mm and 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic	ناموجود
29	DS-2CE78U8T-IT3		4K Fixed Turret Camera - 8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 60 m IR distance - Water and dust resistant (IP67) - Dual outputs (HDTVI and CVBS signals output simultaneously)	IRR 43,230,000

### PTZ Series

30	DS-2AE4225TI-D		4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome - High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology - Pan and tilt ability enables camera to monitor zones of interest 25 × optical zoom allows for closer viewing of subjects in expansive areas Up to 100 m IR range ensures safety at night - Water and dust resistant (IP66)	IRR 312,870,000
----	----------------	---	---	-----------------

## Digital Video Recorder

31	IDS-7204HQHI-M1/S		4-ch 1080p 1U H.265 AcuSense DVR - 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 6 network cameras can be connected	IRR 62,700,000
32	DS-7204HUHI-K1		4-ch 5 MP 1U H.265 DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 8 network cameras can be connected	ناموجود
33	DS-7204HUHI-K1/P		4-ch 5 MP 1U H.265 PoC DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 8 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable	IRR 107,650,000
34	IDS-7204HUHI-M1/E		4-ch 5MP 1U H.265 AcuSense DVR - Deep learning based human and vehicle targets classification of Motion Detection 2.0 - Deep learning-based perimeter protection - H.265 Pro+/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video inputs - Audio via coaxial cable - Up to 6-ch IP camera inputs (up to 8 MP) Up to 8 MP@8 fps encoding capability	IRR 88,580,000
35	IDS-7204HUHI-M1/S		4-ch 5 MP 1U H.265 AcuSense DVR - 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 8 network cameras can be connected	IRR 109,970,000
36	IDS-7208HQHI-M1/XT		8-ch 1080p 1U H.265 AcuSense DVR - Support 2-ch Facial Recognition or 4-ch advanced model Perimeter Protection based on Deep Learning algorithm - Support 4-ch AcuSearch Technology - Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 12 -ch network cameras can be connected - Support All channels Motion Detection Technology - Support All channels HDTVI Two-Way Audio Technology	IRR 90,400,000

37	iDS-7208HQHI-M1/S		8-ch 1080p 1U H.265 AcuSense DVR - 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 12 network cameras can be connected	ناموجود
38	iDS-7208HUHI-M1/S		8-ch 5 MP 1U H.265 AcuSense DVR - 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 16 network cameras can be connected	ناموجود
39	iDS-7208HTHI-M2/S		8-ch 4K 1U H.265 AcuSense DVR - 8 channels and 2 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 16 network cameras can be connected	IRR 300,200,000
40	DS-7216HGHI-K1		16-ch 1080p Lite 1U H.265 DVR - Deep learning based human and vehicle targets classification of Motion Detection 2.0 - H.265 Pro+/H.265 Pro/H.265 video compression - HDTV/1080p/CVI/CVBS/IP video input Audio via coaxial cable - Up to 18-ch IP camera inputs (up to 5 MP) Up to 1080p Lite@15 fps encoding capability - Max. 1200 m for 720p HDTV signal	IRR 69,790,000
41	iDS-7216HQHI-M1/E		16-ch 1080p 1U H.265 AcuSense DVR - Deep learning based human and vehicle targets classification of Motion Detection 2.0 - Deep learning-based perimeter protection - H.265 Pro+/H.265 Pro/H.265 video compression HDTV/1080p/CVI/CVBS/IP video inputs - Audio via coaxial cable - Up to 24-ch IP camera inputs (up to 6 MP) Encoding ability up to 3K/5M Lite @ 12 fps	IRR 175,840,000
42	IDS-7216HQHI-M1/XT		16-ch 1080p 1U H.265 AcuSense DVR - Support 4-ch Facial Recognition or 8-ch advanced model Perimeter - Protection based on Deep Learning algorithm - Support 8-ch AcuSearch Technology - Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5MP Lite@12fps - Up to 24-ch IP camera inputs, each channel up to 6MP - Up to 24*1080P@30fps decoding ability - 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Support All channels Motion Detection Technology - Support All channels HDTV Two-Way Audio Technology	IRR 157,910,000
43	IDS-7216HQHI-M1/S		16-ch 1080p 1U H.265 AcuSense DVR - 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 24 network cameras can be connected	ناموجود
44	IDS-7216HQHI-M2/XT		16-ch 1080p 1U H.265 AcuSense DVR - Support 4-ch Facial Recognition or 8-ch advanced model Perimeter - Protection based on Deep Learning algorithm - Support 8-ch AcuSearch Technology - Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5MP Lite@12fps - Up to 24 channels IP camera inputs, each channel up to 6MP - Up to 24*1080P@30fps decoding ability - 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Support All channels Motion Detection Technology - Support All channels HDTV Two-Way Audio technology	IRR 192,500,000
45	iDS-7216HQHI-M2/S		16-ch 1080p 1U H.265 AcuSense DVR - 16 channels and 2 HDDs 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology - Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 24 network cameras can be connected	IRR 196,600,000
46	DS-7216HUHI-K2		16-ch 5 MP 1U H.265 DVR - 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 32 network cameras can be connected	IRR 293,170,000
47	iDS-7216HUHI-M2/S		16-ch 5 MP 1U H.265 AcuSense DVR - Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection - Efficient H.265 pro+ compression technology Up to 8 MP@8 fps/5 MP@12 fps encoding capability - HDTV/1080p/CVI/CVBS/IP video inputs Up to 32-ch IP camera inputs (up to 8 MP)	IRR 387,830,000
48	iDS-7232HQHI-M2/S		32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/1080p/CVI/CVBS/IP) - Up to 40 network cameras can be connected	IRR 355,230,000

